

	Type	L #	Hits	Search Text	DBs
1	BRS	L6	22005	(lamp light) and (speed near3 sensor)	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
2	BRS	L7	3852	6 and (light near3 (sensing sensor))	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
3	BRS	L8	3852	6 and 7	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
4	BRS	L10	1178	315/82	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B

	Type	L #	Hits	Search Text	DBs
5	BRS	L12	914	315/159	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
6	BRS	L14	5672	(light near3 intensity) same (vehicle automobile car)	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
7	BRS	L15	169	8 and 14	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
8	BRS	L16	443	8 and 9	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B

	Type	L #	Hits	Search Text	DBs
9	BRS	L17	5849	(light\$3 near3 intensity) same (vehicle automobile car)	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
10	BRS	L19	5729	automatic\$4 with ((light lamp) near4 switch\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
11	BRS	L11	470	315/156	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
12	BRS	L13	846	307/10.8	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B

	Type	L #	Hits	Search Text	DBs
13	BRS	L18	171	8 and 17	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
14	BRS	L20	76	7 and 19	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
15	BRS	L9	443	8 and relay	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B